hydrobiologia

volume 311, nos. 1–3, 1995

Major Biological Processes in European Tidal Estuaries

Guest Editors:
C.H.R. Heip & P.M.J. Herman

Hydrobiologia publishes original articles in the fields of fundamental limnology and marine biology.

The scope of the journal is wide and includes ecology, physiology, biogeography, methodology and taxonomy. Applied (technological) papers should be of general, not solely technical interest. Very long papers and review papers will be printed on invitation only. Proceedings of specialized symposia may also be accepted for publication, if the scientific standard set by the journal is met.

Editorial policy. All papers submitted will be considered for publication. They will be evaluated by the editors and referees on the basis of their data and ideas, which should be of more than regional significance. For example, local faunal lists, or chemical 'inventories' of waters not supplemented by interpretations of a more general nature are not acceptable.

Papers should be submitted with the understanding that they are unpublished, and not printed, submitted or accepted for publication elsewhere.

Photocopying. *In the U.S.A.*: This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923.
Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Kluwer Academic Publishers for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the fee of USD 8.00 per copy is paid directly to CCC. For those organizations that have been granted a photocopy licence by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 0018–8158/95/USD 8.00.
Authorization does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, The Netherlands.

Hydrobiologia is published weekly.
Subscription price (1994–1995, 23 volumes of 3 issues): USD 4776.00 including postage and handling.
Second-class postage paid at Rahway, N.J. USPS No. 568–290.
U.S. Mailing Agent: Mercury Airfreight International Ltd., 2323 Randolph Ave., Avenel, N.J. 07001.
Published by Kluwer Academic Publishers, Spuiboulevard 50, P.O. Box 17, 3300 AA Dordrecht, The Netherlands, and 101 Philip Drive, Norwell, MA 02061, U.S.A.
Postmaster: Please send all address corrections to: *Hydrobiologia,* c/o Mercury Airfreight International Ltd., 2323 Randolph Ave., Avenel, NJ 07001, U.S.A.

Printed on acid-free paper

Contents

Preface vii

Introduction .....

Major biological processes in European tidal estuaries: a synthesis of the JEEP-92 Project
by C. Heip & P. Herman 1–7

Primary production .....

Nutrients, light and primary production by phytoplankton and microphytobenthos in the eutrophic, turbid Westerschelde estuary (The Netherlands)
by J. Kromkamp, J. Peene, P. van Rijswijk, A. Sandee & N. Goosen 9–19

Dynamics and distribution of microphytobenthic chlorophyll-*a* in the Western Scheldt estuary (SW Netherlands)
by D.J. de Jong & V.N. de Jonge 21–30

Bacterial processes .....

Comparison of heterotrophic bacterial production rates in early spring in the turbid estuaries of the Scheldt and the Elbe
by N.K. Goosen, P. van Rijswijk & U. Brockmann 31–42

Nitrous oxide emissions from estuarine intertidal sediments
by J.J. Middelburg, G. Klaver, J. Nieuwenhuize, R.M. Markusse, T. Vlug & F.J.W.A. van der Nat 43–55

Carbon and nitrogen cycling in intertidal sediments near Doel, Scheldt Estuary
by J.J. Middelburg, G. Klaver, J. Nieuwenhuize & T. Vlug 57–69

Zooplankton .....

Copepod feeding in the Westerschelde and the Gironde
by M. Tackx, X. Irigoien, N. Daro, J. Castel, L. Zhu, X. Zhang & J. Nijs 71–83

Long-term changes in the population of *Eurytemora affinis* (Copopoda, Calanoida) in the Gironde estuary (1978–1992)
by J. Castel 85–101

Secondary production of the brackish copepod communities and their contribution to the carbon fluxes in the Westerschelde estuary (The Netherlands)
by V. Escaravage & K. Soetaert 103–114

Feeding rates and productivity of the copepod *Acartia bifilosa* in a highly turbid estuary; the Gironde (SW France)
by X. Irigoien & J. Castel 115–125

Production rates of *Eurytemora affinis* in the Elbe estuary, comparison of field and enclosure production estimates
by A. Peitsch 127–137

Comparative spring distribution of zooplankton in three macrotidal European estuaries
by B. Sautour & J. Castel 139–151

Hyperbenthos .....

Comparative study of the hyperbenthos of three European estuaries
by J. Mees, N. Fockedey & O. Hamerlynck 153–174

Meiobenthos .....

Effects of manipulation of food supply on estuarine meiobenthos
by M.C. Austen & R.M. Warwick 175–184

Meiobenthic distribution and nematode community structure in five European estuaries
by K. Soetaert, M. Vincx, J. Wittoeck & M. Tulkens 185–206

Macrobenthos .....

The response of two estuarine benthic communities to the quantity and quality of food
by M.A. Kendall, J.T. Davey & S. Widdicombe 207–214

Modelling .....

Estimating estuarine residence times in the Westerschelde (The Netherlands) using a box model with fixed dispersion coefficients
by K. Soetaert & P.M.J. Herman 215–224

Nitrogen dynamics in the Westerschelde estuary (SW Netherlands) estimated by means of the ecosystem model MOSES
by K. Soetaert & P.M.J. Herman 225–246

Carbon flows in the Westerschelde estuary (The Netherlands) evaluated by means of an ecosystem model (MOSES)
by K. Soetaert & P.M.J. Herman 247–266